

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	575	399/274,284.ccls.	US- PGPUB; USPAT
2	BRS	L2	425	399/270,285.ccls.	US- PGPUB; USPAT
3	BRS	L3	343	2 not 1	US- PGPUB; USPAT
4	BRS	L4	436	399/53,55.ccls.	US- PGPUB; USPAT
5	BRS	L5	382	4 not (1 or 2)	US- PGPUB; USPAT
6	BRS	L6	298	399/44.ccls.	US- PGPUB; USPAT
7	BRS	L7	267	6 not (1 or 2 or 4)	US- PGPUB; USPAT
8	BRS	L8	458	399/49.ccls.	US- PGPUB; USPAT
9	BRS	L9	385	8 not (1 or 2 or 4 or 6)	US- PGPUB; USPAT
10	BRS	L10	365	399/223,112.ccls.	US- PGPUB; USPAT
11	BRS	L11	342	10 not (1 or 2 or 4 or 6 or 8)	US- PGPUB; USPAT
12	BRS	L12	709	399/111.ccls.	US- PGPUB; USPAT
13	BRS	L13	689	12 not (1 or 2 or 4 or 6 or 8 or 10)	US- PGPUB; USPAT
14	BRS	L14	15613	(doctor\$3 or regulat\$3 or (layer\$1 near2 thickness)) near3 (toner\$1 or develop\$4)	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	1667	14 with (bias\$3 or voltage\$1)	US- PGPUB; USPAT
16	BRS	L16	107	15 with (common\$2 or shar\$3 or "same")	US- PGPUB; USPAT
17	BRS	L17	57	16 and "399"/\$3.ccls.	US- PGPUB; USPAT
18	BRS	L18	50	16 not 17	US- PGPUB; USPAT
19	BRS	L19	302	15 same (common\$2 or shar\$3 or "same")	US- PGPUB; USPAT
20	BRS	L20	195	19 not 16	US- PGPUB; USPAT
21	BRS	L21	60028	20 and color\$1 or colour\$1	US- PGPUB; USPAT
22	BRS	L22	78	20 and (color\$1 or colour\$1)	US- PGPUB; USPAT
23	BRS	L23	52	22 and "399"/\$3.ccls.	US- PGPUB; USPAT
24	BRS	L24	26	22 not 23	US- PGPUB; USPAT
25	BRS	L25	88492	g03g015/00.ipc. or g03g015/01.ipc.	EPO; JPO
26	BRS	L26	35354	g03g015/06.ipc. or g03g015/08.ipc.	EPO; JPO
27	BRS	L27	4424	(doctor\$3 or regulat\$3 or (layer\$1 near2 thickness)) near3 (toner\$1 or develop\$4)	EPO; JPO
28	BRS	L28	434	25 and 27	EPO; JPO
29	BRS	L29	2855	26 and 27	EPO; JPO
30	BRS	L30	20801	(bias\$3 or voltage\$1) near5 (common\$2 or shar\$3 or "same")	EPO; JPO

	Type	L #	Hits	Search Text	DBs
31	BRS	L31	6	28 and 30	EPO; JPO
32	BRS	L32	24	29 and 30	EPO; JPO
33	BRS	L33	28	31 or 32	EPO; JPO
34	BRS	L34	3025	28 or 29	EPO; JPO
35	BRS	L35	2997	34 not 33	EPO; JPO
36	BRS	L36	440	(bias\$3 or voltage\$1) and 35	EPO; JPO
37	BRS	L37	33	36 and (color\$1 or colour\$1)	EPO; JPO
38	BRS	L38	407	36 not 37	EPO; JPO